


LTR	REVISION	DATE	APPD
-	RELEASED	01-16-08	



NOTES:

1. PARTS WITH (*) ARE "RoHS" CERTIFIED.
2. SLEEVE MATERIAL: RYNITE FR530
3. BASE MATERIAL: BRASS & NICKEL PLATED BRASS

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

F206-0AG-024V	-	AQUA GREEN	24	12-14	-	525	160°
F206-0PB-024V	-	SUPER BLUE	24	12-14	-	470	160°
F206-0UR-024V	-	ULTRA RED	24	12-14	210	663	160°
F206-0UY-024P	-	ULTRA YELLOW	24	12-14	-	593	160°
F206-0UY-024V	-	ULTRA YELLOW	24	12-14	225	593	160°
F206CA6-0006	F206CA6-24V-P	YELLOW	24	12-14	-	584	160°
F206CG6-0005*	F206CG6-24V/20-P	HI-EFF GREEN	24	12-14	75	565	160°
F206CLW7-24V-P	-	LIME WHITE	24	12-14	125	592/565	160°
F206CLY6-0007	F206CLY6-24V/20-P	LIME YELLOW	24	12-14	-	570	160°
F206C06-0004	F206C06-24V/20-P	ORANGE	24	12-14	-	608	160°
F206CPG6-0007*	F206CPG6-24V/20-P	PURE GREEN	24	12-14	15	557	160°
F206CR6-0026*	F206CR6-24V/20-P	HI-EFF RED	24	12-14	45	633	160°
F206CR7-0002*	F206CR7-24V/20-P	ULTRA RED	24	12-14	-	657	160°
F206CY6-0004*	F206CY6-24V/20-P	YELLOW	24	12-14	30	584	160°

*
*
*
*

LEDTRONICS PART NO.	DESCRIPTION PART NO.	COLOR EMITTED	SET VOLTS	READ mA typ.	lv mod typ.	λP nm	LED FULL ANGLE
ELECTRICAL TEST							



-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°,30'
FRACT. ± 1/32

TITLE				F206-0XX-024X F206CXX-00XX			
DWG NO		SCALE		SHEET		DATE	
F206-24V-P		2:1		1 OF 1		02-20-07	
CODE IDENT NO.	DWG BY	CHK BY	QA	MNFG	CUSTOMER		
8Z410	GP	PL	01-17-08				